

Outdoor ezH2O[®] Bottle Filling Station

The outdoor bottle filling station offers convenient, fresh water access while promoting environmental sustainability.

- Rapid bottle filling allows users to fill up a standard 500ml water bottle in under seven seconds
- Durable build with a heavy-gauge steel frame ensures longevity and protects the bottle filler from both vandals and the elements
- A simple push-button actuation system makes filling a bottle a simple, convenient task



Product features and benefits



Rapid bottle filling

Quick-fill push-button activation fills a 500ml bottle in under 7 seconds, with automatic shut-off to prevent spillage and water waste.

Enhances user convenience and efficiency, ensuring fast and easy access to hydration without the mess.



Durable construction for longevity

Heavy-gauge steel frame with E-coat immersion powder finish provides robust protection against vandals and the elements, ensuring long-term durability and reliability.

Built to withstand harsh conditions and daily use, this construction guarantees a dependable and lasting performance.



Hygienic and compliance assurance


NSF/ANSI 61 certified for clean, hygienic water, with Annex G compliance ensuring water is contaminant-free with minimal lead content.

Ideal for meeting regulatory standards, providing peace of mind with top-tier safety and cleanliness.



Available in 12 different finishes, we also offer custom-branding options so you can apply your company logo to the unit.*


*Additional costs may apply.




Technical specifications

OPERATING PRESSURES:
Supply water 20 – 105 psi maximum

TOP VIEW



SIDE & FRONT VIEWS



Specifications

Model	Freestanding
Filtration	Optional
W x H x D	254 x 1626 x 254 mm
Wall Security Brackets	No
Waste Option(s)	32mm Standard Waste Required
Weight	83 Kg
Rated Input	N/A
Chilled Water Production	N/A
Finish	Evergreen, Beige, Black, Blue, Brown, Gray, Orange, Purple, Red, Terracotta, White, Yellow

Installation requirements

Power supply	No electrical required
Water supply	2.5 Bar
CO2 Gas	N/A
Mains waste	32mm standard waste or soak away required
Ventilation	N/A

Water options

Ambient	Cold	Hot
☹️	☹️	☹️

*Culligan*TM
Water you love.TM